

IN THE CLAIMS:

Please amend the claims as follows:

1. (currently amended) A method comprising:
 - automatically tracing a latest operation relating to at least one source application using a tracing application, wherein the at least one~~said~~ source application and the~~said~~ tracing application are located on a device,
 - extracting at least one item from the traced~~said~~ operation,
 - automatically recording the at least one extracted~~said~~ item ~~automatically~~ into a list of ~~traced and~~ recorded items in a file of the tracing application, said recorded item list comprising ~~traced and~~ recorded items extracted from traced operations of various source applications, ~~wherein said~~the file comprisinges items of different media types and ~~said the~~ file beingis located on said device,
 - presenting, upon the tracing application being called~~ing~~ said file by at least one target application; located on said device, the recorded item list of the tracing application to the at least one target application to allow for user-selection of one or more recorded items from the list; and
 - providing~~selecting and pasting said~~ the one or more user-selected items to ~~said~~the at least one target application.
2. (original) The method according to claim 1, wherein the item is selected from the file by means of a clipboard.
3. (currently amended) The method according to claim 1, wherein more than one operations is~~are~~ traced and recorded.
4. (canceled)

5. (original) The method according to claim 1, wherein the file is a log file.
6. (currently amended) The method according to claim 1, wherein the tracing comprises automatically tracing at least one of the following operations: handling, receiving, sending, downloading, creating, and deleting, ~~is traced~~.
7. (currently amended) The method according to claim 6, wherein said extracted item is a content of the operation or a property of the operation.
8. (currently amended) The method according to claim 1, wherein the at least one source application and the at least one target application are located within one application program.
9. (currently amended) The method according to claim 1, wherein the at least one source application and the at least one target application are located in different application programs.
10. (currently amended) The method according to claim 1, wherein the at least one source application and the at least one target application are located in different devices.
11. (currently amended) The method according to claim 1, wherein said file of the tracing application is shared between application programs of a computing device.
12. (currently amended) The method according to claim 1, wherein the method comprises identifying a media type of the item ~~is identified~~.
13. (previously presented) The method according to claim 12, wherein said media type belongs to one of the following groups:

image, audio, video, text, uniform resource location, phonebook entry, music, calendar event, wallet and error message.

14. (currently amended) The method according to claim 12, wherein the method comprises classifying the item based on the identified~~said media type is used for classifying of~~ the item.

15. (currently amended) A device comprising:
 at least one source application;~~and~~
 at least one target application; and
 a tracing application, said tracing application being configured to be able to:
 automatically trace a latest operation relating to the at least one source application;
 extract at least one item from ~~said the traced~~ operation;~~and record~~
 automatically record ~~said the~~ at least one extracted item into a list of ~~traced and-recorded~~ items in a file of the tracing application, said recorded item list comprising ~~traced and-recorded~~ items extracted from traced operations of various source applications, ~~wherein said the~~ file comprising es items of different media types and ~~said the~~ file being is located on said device; ~~wherein said file is configured to receive a call from the target application, and to~~
 present, upon being called by the at least one target application, the recorded item listed items from of the tracing application file to the at least one target application to allow for user-selectiong of one or more recorded items from the list; and
 provide the one or more user-selected items to be-pasted to said the at least one target application.

16. (currently amended) The device according to claim 15, wherein the one or more any items extracted from the traced operation is the determinant part of the traced operation~~the file is selected to be accessed by the target application.~~
17. (canceled)
18. (original) The device according to claim 15, wherein the file is a log file.
19. (currently amended) The device according to claim 15, also configured to be able to trace ~~for~~ at least one of the following operations:
messaging, calling, imaging, browsing, using application programs and selecting.
20. (currently amended) The device according to claim 19, wherein ~~said extracting the device~~ is configured to extract the item from a content of the operation or from a property of the operation.
21. (currently amended) The device according to claim 15, wherein the at least one source application and the at least one target application are located within one application program.
22. (currently amended) The device according to claim 15, wherein the at least one source application and the at least one target application are located in different application programs.
23. (previously presented) The device according to claim 15, configured to exchange data with another device.

24. (previously presented) The device according to claim 15, further configured to identify a media type of the item.
25. (previously presented) The device according to claim 24, further configured to classify the item based on its media type.
26. (currently amended) The device according to claim 15, wherein said latest operation to be traced is implemented without user action.
27. (currently amended) The device according to claim 15, further configured to allow for manual tracing of operations of the at least one source application-copying.
28. (previously presented) The device according to claim 15, further configured for mobile communication.
29. (original) A system for implementing the method of claim 1.
30. (currently amended) A computer-readable storage medium, encoded with instructions that, when executed by a computer, perform:
- automatically tracing a latest operation relating to at least one source application using a tracing application, wherein the at least one ~~said~~ source application and the ~~said~~ tracing application are located on a device;₁
 - extracting at least one item from ~~said~~ the traced operation;₁
 - automatically recording the ~~said one or more extracted item-automatically~~ into a list of ~~traced and-recorded~~ items in a file of the tracing application, ~~said~~ said the recorded item list comprising ~~traced and-recorded~~ items extracted from traced operations of various source applications, wherein ~~said~~ the file comprises items of different media types and ~~said~~ the file being is located on said device;

- presenting, upon the tracing application being called~~ing said file~~ by at least one target application; located on the device, the recorded item list of the tracing application to the at least one target application to allow for user-selection of one or more recorded items from the list; and
- providing~~selecting and pasting said~~ the one or more user-selected items to the at least one~~said~~ target application.

31. (canceled)

32. (canceled)

33. (currently amended) The method according to claim 1, ~~further comprising: wherein~~
the one or more items extracted from the traced operation is the determinant part of the
traced operation~~calling said file by the target application; selecting and pasting the item~~
~~to said target application.~~

34. (previously presented) The method according to claim 1, wherein a media type of said item belongs to one of the following groups: image, audio, video.

35. (currently amended) The method according to claim 1, wherein said at least one target application is a multimedia messaging service message.

36. (currently amended) The method according to claim 1, wherein the method further comprises presenting said recorded item ~~in a list~~ utilizing a check-box feature for user-selectiong.

37. (canceled)

38. (currently amended) The method according to claim 1, wherein said traced
operation is one or more of:

_____ a phone call, and for which said item is a phone number; ~~or said operation is~~
_____ a camera shot, and for which said item is an image; ~~and said operation is~~
_____ a site downloaded from a network, and for which said item is the URL of the
site.

39. (canceled)